


**HITACHI**  
Inspire the Next



**HITACHI**  
**AMORPHOUS TRANSFORMERS**





Overhead Type



Item		SiT	AMT
Dimension (mm)	Φ	435(100)	435(100)
	H	830(100)	890(107)
Mass (kg)		258(100)	310(120)

1P 50kVA 6kV/210V 60Hz



Item	SiT	AMT
100 % Loaded Loss (W)	No-Load Loss	115(100) / 33(29)
	Load Loss	558(100) / 558(100)
	Total Loss	673(100) / 591(88)
50% Loaded Total Loss (W)	255(100)	173(68)
Total Owning Cost (# 1)	100	89

Characteristic Table

Overhead Type

Phase	Core Type	Voltage (V)	Frequency (Hz)	Capacity (kVA)	No Load Loss (W)	Load Loss (W)	5% Loaded Total Loss (W)
1P	Amorphous Steel	6.6kV/210	50Hz	50	32	470	149.5
	Silicoon Steel				85	470	202.5
1P	Amorphous Steel		60Hz		33	558	172.5
	Silicoon Steel				115	558	254.5

SiT=Silicon Steel Core Transformer  
AMT=Amorphous Steel Core Transformer

## Hitachi Industrial Equipment Systems Co., Ltd.

### **Head Office**

AKS Building, 3, Kanda Neribeicho, Chiyoda-ku, Tokyo, 101-0022, Japan

TEL: +81-(0)3-4345-6000

<http://www.hitachi-ies.co.jp/english/>

### **USA**

#### **Hitachi America, Ltd.**

Industrial Systems Division  
50 Prospect Avenue, Tarrytown,  
New York, 10591-4698  
TEL: +1(914)332-5800  
FAX: +1(914)332-5555  
<http://www.hitachi-america.us/>

### **Europe**

#### **Hitachi Europe GmbH**

Industrial Components & Equipment Group  
Am Seestern 18 (Euro Center)  
D-40547 Düsseldorf  
P.O.BOX 11053, 40545 Düsseldorf  
TEL: +49 (211) 5283 0  
FAX: +49 (211) 5283 649  
<http://www.hitachi-ds.com/en/>

### **China**

#### **Hitachi (China) Ltd.**

(Shanghai Office)  
(Hitachi (Shanghai) Trading Co., Ltd.)  
18th Floor, Rui Jin Building No.205  
Maoming Road (S) Shanghai, 200020  
TEL:+86 (21) 6472-1002  
FAX:+86 (21) 6472-4990  
<http://www.hitachi.com.cn/micro/IEG/index.html>

Information in this brochure is subject to change without notice.  
For further information, please contact your nearest sales representative.